

WELCOME TO THE WORLD OF  
PVC SOCKET BOX

®

# MAKEWELL

**QUALITY  
RELIABILITY  
DURABILITY  
SAFETY**

**ALL PRODUCTS TESTED AS PER  
SPECIFIC IEC 60309 GUIDELINES**



|  <b>Alekh</b><br><b>PLASTICS TESTING CENTRE</b><br><small>F-24-38, RUDRAKSHA II, JAS-HOONDAZI, MEHAMDAD HIGHWAY,<br/> VATVA, AHMEDABAD - 382445. TEL-FAX : 79-2683866,<br/> E-Mail: alekh_plastics@yahoo.co.uk, alekhplastics@gmail.com www.alekhplasticscentre.com</small>           |                          |                                                                                                                                                                                                                                                                                                                                                                                                             |             |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|
| <b>TEST REPORT</b><br>No: TR/22-23/0342<br>Issued to:                                                                                                                                                                                                                                                                                                                   |                          | Date of issue: 18/08/2022<br>Date of receipt: 13/08/2022<br>Date of performance of testing: 16/08/22 to 17/08/22<br>Sampling details: By customer<br>Sample details: SOCKET ENCLOSURE-size 305mmX125mmX107mm (as stated by the party)<br>Sample Packing: Loose Sample condition: Satisfactory Mode of delivery: By courier<br>Your reference: Received by courier on 13/08/2022 Test condition: 27°C/63% RH |             |            |
| Test result                                                                                                                                                                                                                                                                                                                                                             |                          |                                                                                                                                                                                                                                                                                                                                                                                                             |             |            |
| Sample                                                                                                                                                                                                                                                                                                                                                                  | Test Property            | Unit                                                                                                                                                                                                                                                                                                                                                                                                        | Test method | Test value |
| Sample as above                                                                                                                                                                                                                                                                                                                                                         | Ingress protection       | IP rating                                                                                                                                                                                                                                                                                                                                                                                                   | IEC: 62208/ | IP-6X      |
|                                                                                                                                                                                                                                                                                                                                                                         | a) against solid objects |                                                                                                                                                                                                                                                                                                                                                                                                             | IEC: 60529  | IP-X7      |
|                                                                                                                                                                                                                                                                                                                                                                         | b) against water         |                                                                                                                                                                                                                                                                                                                                                                                                             |             |            |
| <br>Authorized Signatory<br>B. R. Phadnis<br>Chief Executive<br><small>N.B.: No liabilities are accepted, whatsoever, for this test report. Valid only for the sample tested. Not for publication. Not for legal purpose.</small><br><p align="center">----- END OF REPORT -----</p> |                          |                                                                                                                                                                                                                                                                                                                                                                                                             |             |            |

## INDUSTRIAL SOCKET ENCLOSURE


**Material Used : ABS & Poly Carbonate**

**Certified : IP67**


**Gasket : Silicone For Indoor & Outdoor Purpose**

**Screw : Heavy Duty ROHS Plated**


**Size : 305 x 125 x 107mm**




WINDOW



TOP



BOTTOM



SOCKET PLATE







|  <b>ALEKH</b><br><b>PLASTICS TESTING CENTRE</b><br><small>F-84 4th, RUDRAKSH-4, JASHODHARMGAR MOHAMMAD HOSSEINIC, WATVA, AHMEDABAD 382445. TEL-9881 19-20483048, E-Mail: alekh_plastics@yahoo.com, alekhplastic@gmail.com, www.alekhplasticcentre.com</small> |                          |                                                                      |             |                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------|-------------|------------------------------|
| No: TR/23-24/0108                                                                                                                                                                                                                                                                                                                                |                          | Date of issue: 09/05/2023                                            |             |                              |
| Issued to:                                                                                                                                                                                                                                                                                                                                       |                          | Date of receipt: 06/05/2023                                          |             |                              |
|                                                                                                                                                                                                                                                                                                                                                  |                          | Date of performance of testing: 08/05/23 to 08/05/23                 |             |                              |
| Sample details:                                                                                                                                                                                                                                                                                                                                  |                          | 4010 Socket Enclosure 445mm X 205mm X 145mm (as stated by the party) |             |                              |
| Sample Packing: Loose                                                                                                                                                                                                                                                                                                                            |                          | Sample condition: Satisfactory                                       |             | Mode of delivery: By courier |
| Your reference: Received by courier on 06/05/2023                                                                                                                                                                                                                                                                                                |                          | Test condition: 27°C/63% RH                                          |             |                              |
| Test result                                                                                                                                                                                                                                                                                                                                      |                          |                                                                      |             |                              |
| Sample                                                                                                                                                                                                                                                                                                                                           | Test Property            | Unit                                                                 | Test method | Test value                   |
| Sample as above                                                                                                                                                                                                                                                                                                                                  | Ingress protection       | IP rating                                                            | IEC: 62208/ | IP-6X                        |
|                                                                                                                                                                                                                                                                                                                                                  | a) against solid objects |                                                                      | IEC: 60529  | IP-X7                        |
|                                                                                                                                                                                                                                                                                                                                                  | b) against water         |                                                                      |             |                              |
|  <div style="text-align: right;"> <br/>           Authorised Signatory<br/>           B. R. Phadnis<br/>           Chief Executive         </div>                          |                          |                                                                      |             |                              |
| <small>N.B.: No liabilities are accepted, whatsoever, for this test report. Valid only for the sample tested. Not for publication. Not for legal purpose.</small>                                                                                                                                                                                |                          |                                                                      |             |                              |
| END OF REPORT                                                                                                                                                                                                                                                                                                                                    |                          |                                                                      |             |                              |

## 4010 - 4 SOCKET ENCLOSURE


- Material Used** : ABS & Poly Carbonate
- Certified** : IP67
- Gasket** : Silicone For Indoor & Outdoor Purpose
- Screw** : Heavy Duty ROHS Plated
- Size** : 445 x 205 x 145mm




WINDOW



BOTTOM



MCB Fitting Stand



TOP



**Alekh**  
**PLASTICS TESTING CENTRE**  
P-04-01, PUDUPARTHI-V, JASHODANAGAR, BEHARABAD HIGHWAY,  
WESTIN, AHMEDNAGAR, 432445, TEL: +91 20 25850445,  
E-Mail: alekh\_plastics@yahoo.co.uk, alekhplastic@gmail.com, www.alekhplasticcentre.com

Doc No: FRPT/01  
Page no: 1 of 1

**TEST REPORT**

No: TR/22-23/0342B  
Issued to: \_\_\_\_\_  
Date of issue: 18/08/2022  
Date of receipt: 13/08/2022  
Date of performance of testing: 16/08/22 to 17/08/22  
Sampling details: By customer

Sample details: HT-2 DISTRIBUTION BOX-size 120mmX55mmX100mm (as stated by the party)  
Sample Packing: Loose Sample condition: Satisfactory Mode of delivery: By courier  
Your reference: Received by courier on 13/08/2022 Test condition: 27°C/63% RH

| Sample          | Test Property            | Unit      | Test method | Test value |
|-----------------|--------------------------|-----------|-------------|------------|
| Sample as above | Ingress protection       | IP rating | IEC: 62208/ | IP-6X      |
|                 | a) against solid objects |           | IEC: 60529  | IP-X7      |
|                 | b) against water         |           |             |            |


Authorised Signatory  
B. R. Phadnis  
Chief Executive

N.R.: No liabilities are accepted, whatsoever, for this test report. Valid only for the sample tested. Not for publication. Not for legal purpose.


-----END OF REPORT-----

## HT2 DISTRIBUTION BOX

- Material Used** : ABS & Poly Carbonate
- Certified** : IP67
- Gasket** : Silicone For Indoor & Outdoor Purpose
- Screw** : Heavy Duty ROHS Plated
- Size** : 120 x 55 x 95mm



TOP



Bottom





## CDN6PT



**Alekh**  
**PLASTICS TESTING CENTRE**

T-54-05, RUDRAKSHAI, 38TH CROSSROAD, MEHARUNAG HSB-99WY,  
VOTVA, AHMEDABAD-382445. TEL-FAX : 79-05635445.  
E-Mail: alekh\_plastics@yahoo.com; alekhplastics@gmail.com; www.alekhplasticcentre.com

Doc.No: FRPT/01  
Page no: 1 of 1

**TEST REPORT**

No: TR/22-23/0342A  
Issued to: \_\_\_\_\_

Date of issue: 18/08/2022  
Date of receipt: 13/08/2022  
Date of performance of testing: 16/08/22 to 17/08/22  
Sampling details: By customer

Sample details: 6POLE DISTRIBUTION BOX-size 205mmX125mmX105mm (as stated by the party)

Sample Packing: Loose    Sample condition: Satisfactory    Mode of delivery: By courier  
Your reference: Received by courier on 13/08/2022    Test condition: 27°C/63% RH

| Sample          | Test Property                                | Unit      | Test method               | Test value |
|-----------------|----------------------------------------------|-----------|---------------------------|------------|
| Sample as above | Ingress protection                           | IP rating | IEC: 62208/<br>IEC: 60529 | IP-6X      |
|                 | a) against solid objects<br>b) against water |           |                           | IP-X7      |

  
 Authorised Signatory  
**B. R. Phadnis**  
 Chief Executive

N.B.: No liabilities are accepted, whatsoever, for this test report. Valid only for the sample tested. Not for publication. Not for legal purpose.

----- END OF REPORT -----


**Material Used** : ABS & Poly Carbonate

**Certified** : IP67


**Gasket** : Silicone For Indoor & Outdoor Purpose

**Screw** : Heavy Duty ROHS Plated


**Size** : 205 x 125 x 105mm



CDN6PT TOP




CDN6PT BOTTOM






## 3025 JUNCTION BOX

- Material Used** : ABS
- Certified** : IP67
- Gasket** : Silicone For Indoor & Outdoor Purpose
- Screw** : Heavy Duty Brass screw & insert
- Size** : 300 x 250 x 120mm



3025 BOTTOM



3025 TOP



## 3006 Industrial Socket Enclosure (With Handle)


**Material Used** : ABS & POLYCARBONATE

**Certified** : IP67


**Gasket** : Silicone For Indoor & Outdoor Purpose

**Screw** : Heavy Duty ROHS Plated


**Size** : 500 x 145 x 100mm



3006 BOTTOM



3006 TOP



3006 WINDOW



# "The Future of PVC Socket Box Starts Here"



 **JIMIT PATEL | +91 9898231500**

 **DIPAK PATEL | +91 9274085525**

 **Manufacturing Plant Address:**  
43, Rashmi Growth Hub, Opp, Shreya Residency ,  
Near odhav Ring Road Circle, Odhav, Ahmedabad-382415, Gujarat, INDIA.

 **business@makewelltech.com**

 **www.makewelltech.com**

